
K2IID S211









ISO 9001: 2015



((

Certificate 3.1

Size: DN 1/4" to 3"

Ends: Female BSP

Min Temperature: - 20°C Max Temperature: + 200°C Max Pressure: 63 Bars

Specifications: PTFE+FKM gaskets on stem

PTFE filled with 15% glass seat

Anti blow-out stem

Atex

ISO 5211 mounting pad

Materials: Stainless steel ASTM A351 CF8M

SPECIFICATIONS:


- Full bore
- Anti blow-out stem
- · PTFE filled with 15% glass seat
- Locking handle
- Atex
- PTFE+FKM gaskets on stem
- 2 pieces type
- Solid ball
- · ISO 5211 mounting pad

USE:

- · Chemical and pharmaceutical industries, petrochemical industries, hydraulic installation, compressed air, drinkable water
- Steam: 11 bars maxi
- Min and max Temperatures Ts: -20°C to + 200°C
- Max Pressure Ps : 63 bars (see graph)

PRESSURE / TEMPERATURE GRAPH (STEAM EXCLUDED) :

PRESSURE




RANGE:

2 pieces stainless steel ball valve BSP threaded with ISO 5211 mounting pad DN 1/4" to DN 3"


ENDS:

• Female / female cylindrical BSP threaded

MATERIALS:




SIZE DN 1/4" - 2" (in mm) :




Ref.	DN	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"
	ØΡ	11.6	12.7	15	20	25	32	38	50
	L	58	58	58	65.6	78.7	90	105	124
	E	113.5	113.5	113.5	113.5	140	140	172	172
(2IID S211	Н	62	62	62	65	76	81.5	103	111.5
	H1	36.4	36.4	36.4	39.2	48.7	54.2	65.7	75.5
	H2	8	8	8	9	11	11	11.5	11.5
	Weight (Kg)	0.4	0.4	0.4	0.5	0.8	1.2	2	2.9


SIZE DN 2"1/2 - 3" (in mm):




STEM AND ISO 5211 MOUNTING PAD SIZE (in mm):



DN 1/4" - 1"1/4



DN 1"1/2 - 3"



Ref.	DN	1/4"	3/8"	1/2"	3"4	1"	1"1/4	1"1/2	2"	2"1/2	3"
	H2	8	8	8	9	11	11	11.5	11.5	20.5	20.5
	С	9	9	9	9	11	11	14	14	17	17
İ	øк	w.c	=	-	-	-	-	70	70	102	102
	ISO	-	-	> =	1=1	-	-	F07	F07	F10	F10
K2IID S211	Ø K1	36	36	36	36	42	42	50	50	70	70
	ISO1	F03	F03	F03	F03	F04	F04	F05	F05	F07	F07
	NxØZ	# 8	-	0			.	4 x 9	4 x 9	4 x 11	4 x 11
	N x Ø Z1	4 x 5.5	4 x 5.5	4 x 5.5	4 x 5.5	4 x 5.5	4 x 5.5	4 x 7	4 x 7	4 x 9	4 x 9

TORQUE VALUES (in Nm without safety coefficient):

DN	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"
Torque (Nm)	5.5	5.5	5.5	7.5	11	15	20	40	60	85

FLOW COEFFICIENT Kvs (M3/h):

DN	1/4"	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"
Kvs (m3/h)	19	23	34	62	98	170	247	427	696	1043

STANDARDS:

- Fabrication according to ISO 9001 : 2015
- DIRECTIVE 2014/68/EU : CE N° 0035
 Risk Category III module H
- Certificate 3.1 on request
- Pressure tests according to API 598, table 6
- Female cylindrical BSP threaded ends according to ISO 7/1 Rp
- ATEX Group II Category 2 G/2D Zone 1 & 21 Zone 2 &22 (optional marking)
- French water agreement A.C.S. N° 15 ACC LY 431

ADVICE: Our opinion and our advice are not guaranteed and St Steeltrade shall not be liable for the consequences of damages. The customer must check the right choice of the products with the real service conditions.

INSTALLATION AND MAINTENANCE

BEFORE INSTALLATION:

Pipe-line must be cleaned and free from residual of weldings,rubbish,shaving and every kind of extraneous materials. Pipe-line must be perfectly aligned and their support properly dimensioned so that there's no external constraint.

Please use the right product according to the services conditions to seal the valve. Use the right bolt tightening so that the ends won't be damaged.

CLEANING AND TESTS

Keep closed the valves during the cleaning operation so that there's no impurities between the ball and the body.

Tests under pressure must be done with a cleaned pipe-line.

Open partially the valve for tests. Pressure test do not exceed the valve specifications according to API 598.

MAINTENANCE

It's recommended to operate the valve twice (open and close) 1 to 2 times per year.

When intervention on the valve, be sure there's no pressure in the pipe-line, there's no fluid in it, and that it is isolated. The temperature must be low enough to operate without risks. If there's a corrosive fluid, inert installation before intervention.

When the valve is under pressure:

If there's a leakage at the packing, tighten it slightly so that the leakage disappears.